

# Meaningful Use and All That: Update in Clinical Informatics

William Hersh, MD  
Professor and Chair  
Department of Medical Informatics & Clinical Epidemiology  
Oregon Health & Science University  
Portland, OR, USA  
Email: [hersh@ohsu.edu](mailto:hersh@ohsu.edu)  
Web: [www.billhersh.info](http://www.billhersh.info)  
Blog: [informaticsprofessor.blogspot.com](http://informaticsprofessor.blogspot.com)

## References

- Altman, R. (2012). Translational bioinformatics: linking the molecular world to the clinical world. *Clinical Pharmacology and Therapeutics*, 91: 994-1000.
- Angrisano, C., Farrell, D., et al. (2007). Accounting for the Cost of Health Care in the United States. Washington, DC, McKinsey & Company. [http://www.mckinsey.com/mgi/rp/healthcare/accounting\\_cost\\_healthcare.asp](http://www.mckinsey.com/mgi/rp/healthcare/accounting_cost_healthcare.asp).
- Anonymous (2010). The State of Health Care Quality: 2010. Washington, DC, National Committee for Quality Assurance. <http://www.ncqa.org/tabid/836/Default.aspx>.
- Anonymous (2012). *Health IT and Patient Safety: Building Safer Systems for Better Care*. Washington, DC. National Academies Press. <http://www.iom.edu/Reports/2011/Health-IT-and-Patient-Safety-Building-Safer-Systems-for-Better-Care.aspx>.
- Backus, L., Gavrilov, S., et al. (2009). Clinical Case Registries: simultaneous local and national disease registries for population quality management. *Journal of the American Medical Informatics Association*, 16: 775-783.
- Bernstam, E., Hersh, W., et al. (2009). Synergies and distinctions between computational disciplines in biomedical research: perspective from the Clinical and Translational Science Award programs. *Academic Medicine*, 84: 964-970.
- Blumenthal, D. (2011a). Implementation of the federal health information technology initiative. *New England Journal of Medicine*, 365: 2426-2431.
- Blumenthal, D. (2011b). Wiring the health system--origins and provisions of a new federal program. *New England Journal of Medicine*, 365: 2323-2329.
- Buntin, M., Burke, M., et al. (2011). The benefits of health information technology: a review of the recent literature shows predominantly positive results. *Health Affairs*, 30: 464-471.
- Chapman, W., Nadkarni, P., et al. (2011). Overcoming barriers to NLP for clinical text: the role of shared tasks and the need for additional creative solutions. *Journal of the American Medical Informatics Association*, 18: 540-543.
- Chaudhry, B., Wang, J., et al. (2006). Systematic review: impact of health information technology on quality, efficiency, and costs of medical care. *Annals of Internal Medicine*, 144: 742-752.
- Classen, D., Resar, R., et al. (2011). 'Global trigger tool' shows that adverse events in hospitals may be ten times greater than previously measured. *Health Affairs*, 30: 4581-4589.
- Detmer, D., Munger, B., et al. (2010). Clinical informatics board certification: history, current status, and predicted impact on the medical informatics workforce. *Applied Clinical Informatics*, 1: 11-18.

- Devoe, J., Gold, R., et al. (2011). Developing a network of community health centers with a common electronic health record: description of the Safety Net West Practice-based Research Network (SNW-PBRN). *Journal of the American Board of Family Medicine*, 24: 597-604.
- Dreyer, N. and Garner, S. (2009). Registries for robust evidence. *Journal of the American Medical Association*, 302: 790-791.
- Eden, J., Wheatley, B., et al., eds. (2008). *Knowing What Works in Health Care: A Roadmap for the Nation*. Washington, DC. National Academies Press.
- Embi, P. and Payne, P. (2009). Clinical research informatics: challenges, opportunities and definition for an emerging domain. *Journal of the American Medical Informatics Association*, 16: 316-327.
- Fleurant, M., Kell, R., et al. (2011). Massachusetts e-health project increased physicians' ability to use registries, and signals progress toward better care. *Health Affairs*, 30: 1256-1264.
- Friedman, C., Wong, A., et al. (2010). Achieving a nationwide learning health system. *Science Translational Medicine*, 2(57): 57cm29. <http://stm.sciencemag.org/content/2/57/57cm29.full>.
- Gardner, R., Overhage, J., et al. (2009). Core content for the subspecialty of clinical informatics. *Journal of the American Medical Informatics Association*, 16: 153-157.
- Ginsburg, G., Burke, T., et al. (2008). Centralized biorepositories for genetic and genomic research. *Journal of the American Medical Association*, 299: 1359-1361.
- Goldzweig, C., Towfigh, A., et al. (2009). Costs and benefits of health information technology: new trends from the literature. *Health Affairs*, 28: w282-w293.
- Hayes, G. and Barnett, D. (2008). *UK Health Computing: Recollections and Reflections*. Swindon, UK. British Computer Society.
- Hersh, W. (2004). Health care information technology: progress and barriers. *Journal of the American Medical Association*, 292: 2273-2274.
- Hersh, W. (2009). A stimulus to define informatics and health information technology. *BMC Medical Informatics & Decision Making*, 9: 24. <http://www.biomedcentral.com/1472-6947/9/24/>.
- Hersh, W. (2012). Update on the ONC for Health IT Workforce Development Program. HIMSS Clinical Informatics Insights. July, 2012. <http://www.himss.org/ASP/ContentRedirector.asp?ContentId=80559&type=HIMSSNewsItem;src=cii20120709>.
- Hsiao, C., Hing, E., et al. (2011). Electronic Health Record Systems and Intent to Apply for Meaningful Use Incentives Among Office-based Physician Practices: United States, 2001–2011. Atlanta, GA, National Center for Health Statistics, Centers for Disease Control and Prevention. <http://www.cdc.gov/nchs/data/databriefs/db79.htm>.
- Jha, A., DesRoches, C., et al. (2010). A progress report on electronic health records in U.S. hospitals. *Health Affairs*, 29: 1951-1957.
- Kohn, L., Corrigan, J., et al., eds. (2000). *To Err Is Human: Building a Safer Health System*. Washington, DC. National Academies Press.
- Maro, J., Platt, R., et al. (2009). Design of a national distributed health data network. *Annals of Internal Medicine*, 151: 341-344.
- Maxson, E., Jain, S., et al. (2010). The regional extension center program: helping physicians meaningfully use health information technology. *Annals of Internal Medicine*, 153: 666-670.
- McGlynn, E., Asch, S., et al. (2003). The quality of health care delivered to adults in the United States. *New England Journal of Medicine*, 348: 2635-2645.
- McKethan, A., Brammer, C., et al. (2011). An early status report on the Beacon Communities' plans for transformation via health information technology. *Health Affairs*, 30: 782-788.
- Metzger, J. and Rhoads, J. (2012). Summary of Key Provisions in Final Rule for Stage 2 HITECH Meaningful Use. Falls Church, VA, Computer Sciences Corp.

[http://assets1.csc.com/health\\_services/downloads/CSC\\_Key\\_Provisions\\_of\\_Final\\_Rule\\_for\\_Stage\\_2.pdf](http://assets1.csc.com/health_services/downloads/CSC_Key_Provisions_of_Final_Rule_for_Stage_2.pdf).

- Nadkarni, P., Ohno-Machado, L., et al. (2011). Natural language processing: an introduction. *Journal of the American Medical Informatics Association*, 18: 544-551.
- Navaneethan, S., Jolly, S., et al. (2011). Development and validation of an electronic health record based chronic kidney disease. *Clinical Journal of the American Society of Nephrology*, 6: 40-49.
- Payne, P., Johnson, S., et al. (2005). Breaking the translational barriers: the value of integrating biomedical informatics and translational research. *Journal of Investigative Medicine*, 53: 192-200.
- Prokosch, H., Beck, A., et al. (2010). IT infrastructure components for biobanking. *Applied Clinical Informatics*, 1: 419-429.
- Protti, D. and Johansen, I. (2010). Widespread Adoption of Information Technology in Primary Care Physician Offices in Denmark: A Case Study. New York, NY, Commonwealth Fund.  
[http://www.commonwealthfund.org/~media/Files/Publications/Issue%20Brief/2010/Mar/137\\_9\\_Protti\\_widespread\\_adoption\\_IT\\_primary\\_care\\_Denmark\\_intl\\_ib.pdf](http://www.commonwealthfund.org/~media/Files/Publications/Issue%20Brief/2010/Mar/137_9_Protti_widespread_adoption_IT_primary_care_Denmark_intl_ib.pdf).
- Rea, S., Pathak, J., et al. (2012). Building a robust, scalable and standards-driven infrastructure for secondary use of EHR data: The SHARPN project. *Journal of Biomedical Informatics*, 45: 763-771.
- Safran, C., Bloomrosen, M., et al. (2007). Toward a national framework for the secondary use of health data: an American Medical Informatics Association white paper. *Journal of the American Medical Informatics Association*, 14: 1-9.
- Schoen, C., Osborn, R., et al. (2009a). A survey of primary care physicians in eleven countries, 2009: perspectives on care, costs, and experiences. *Health Affairs*, 28: w1171-1183.
- Schoen, C., Osborn, R., et al. (2009b). In chronic condition: experiences of patients with complex health care needs, in eight countries, 2008. *Health Affairs*, 28: w1-w16.  
<http://content.healthaffairs.org/cgi/content/full/28/1/w1>.
- Shortliffe, E. (2011). President's column: subspecialty certification in clinical informatics. *Journal of the American Medical Informatics Association*, 18: 890-891.
- Smith, M., Saunders, R., et al. (2012). *Best Care at Lower Cost: The Path to Continuously Learning Health Care in America*. Washington, DC. National Academies Press.  
<http://iom.edu/Reports/2012/Best-Care-at-Lower-Cost-The-Path-to-Continuously-Learning-Health-Care-in-America.aspx>.
- Smith, P., Araya-Guerra, R., et al. (2005). Missing clinical information during primary care visits. *Journal of the American Medical Association*, 293: 565-571.
- Stanfill, M., Williams, M., et al. (2010). A systematic literature review of automated clinical coding and classification systems. *Journal of the American Medical Informatics Association*, 17: 646-651.
- Stark, P. (2010). Congressional intent for the HITECH Act. *American Journal of Managed Care*, 16: SP24-SP28.
- VanDenBos, J., Rustagi, K., et al. (2011). The \$17.1 billion problem: the annual cost of measurable medical errors. *Health Affairs*, 30: 596-603.
- Weber, G., Murphy, S., et al. (2009). The Shared Health Research Information Network (SHRINE): a prototype federated query tool for clinical data repositories. *Journal of the American Medical Informatics Association*, 16: 624-630.
- Westfall, J., Mold, J., et al. (2007). Practice-based research - "blue highways" on the NIH roadmap. *Journal of the American Medical Association*, 297: 403-406.
- Williams, C., Mostashari, F., et al. (2012). From the Office of the National Coordinator: the strategy for advancing the exchange of health information. *Health Affairs*, 31: 527-536.

- Wright, A., McGlinchey, E., et al. (2009). Ability to generate patient registries among practices with and without electronic health records. *Journal of Medical Internet Research*, 11: e31.  
<http://www.jmir.org/2009/3/e31/>.
- Zerhouni, E. (2007). Translational research: moving discovery to practice. *Clinical Pharmacology and Therapeutics*, 81: 126-128.

# Meaningful Use and All That: Update in Clinical Informatics

William Hersh, MD  
Professor and Chair  
Department of Medical Informatics & Clinical Epidemiology  
Oregon Health & Science University  
Portland, OR, USA  
Email: [hersh@ohsu.edu](mailto:hersh@ohsu.edu)  
Web: [www.billhersh.info](http://www.billhersh.info)  
Blog: [informaticsprofessor.blogspot.com](http://informaticsprofessor.blogspot.com)




1

## Outline of talk

- Biomedical and health informatics defined
- Meaningful use
- Clinical informatics subspecialty
- Where is the evidence for all this?
- Secondary use of clinical data and clinical research informatics



2



## Informatics is essential for a “learning healthcare system”

- Recent IOM report (Smith, 2012) analyzes data to find annual
  - \$750B in waste (out of \$2.5T system)
  - 75,000 premature deaths
- Sources of waste
  - Unnecessary services provided
  - Services inefficiently delivered
  - Prices too high relative to costs
  - Excess administrative costs
  - Missed opportunities for prevention
  - Fraud

### BEST CARE AT LOWER COST

#### The Path to Continuously Learning Health Care in America

4

## Health information technology (HIT) is part of the solution (IOM, 2012)

- Features we take for granted in modern banking, transportation, manufacturing, etc.
  - Substantial computational power that is affordable and widely available
  - Network connectivity that allows information to be accessed instantaneously from almost anywhere
  - Human and organizational capabilities that improve the reliability and efficiency of care processes
  - Recognition that effective care must be delivered collaboratively by teams of clinicians and patients, with each playing a vital role in the process
- But also need to be cognizant of safety issues that can arise when HIT not used optimally (IOM, 2012)

5



## IOM recommendations – all have HIT aspects (IOM, 2012)

- I – Foundational Elements
  1. The digital infrastructure
  2. The data utility
- II – Care Improvement Targets
  3. Clinical decision support
  4. Patient-centered care
  5. Community links
  6. Care continuity
  7. Optimized operations
- III – Supportive Policy Environment
  8. Financial incentives
  9. Performance transparency
  10. Broad leadership

6



## Informatics received a boost in 2009 with arrival of a new US president



*"To lower health care cost, cut medical errors, and improve care, we'll computerize the nation's health records in five years, saving billions of dollars in health care costs and countless lives."*

First Weekly Address  
Saturday, January 24, 2009



7

## Leading the US to enter a new "ARRA"

- Health Information Technology for Economic and Clinical Health (HITECH) Act of the American Recovery and Reinvestment Act (ARRA) (Blumenthal, 2011; Blumenthal, 2011)
  - Incentives for electronic health record (EHR) adoption by physicians and hospitals (up to \$27B)
  - Direct grants administered by federal agencies (\$2B)
- Other provisions in other areas of ARRA, e.g.,
  - Comparative effectiveness research
  - NIH and other research funding
  - Broadband and other infrastructure funding



8




## What is “meaningful use” of an EHR (Stark, 2011)?

- Driven by five underlying goals for healthcare system
  - Improving quality, safety and efficiency
  - Engaging patients in their care
  - Increasing coordination of care
  - Improving the health status of the population
  - Ensuring privacy and security
- Consists of three requirements – use of certified EHR technology
  - In a meaningful manner
  - Connected for health information exchange (HIE)
  - To submit information on clinical quality measures

9

## To be implemented in three stages



10

## Implementation of MU

- Implemented through increased Medicare or Medicaid reimbursement to
  - Eligible professionals (EPs)
    - \$44-63K (differs based on Medicare vs. Medicaid)
  - Eligible hospitals (EHs, including critical access hospitals)
    - \$2-9M (based on size as measured by number of discharges)
- EPs and EHs required to
  - Meet MU objectives
  - Report clinical quality measures (CQMs) – mostly process measures, trying to align with other CMS quality measurement programs (e.g., PQRS)

11



## Criteria for Stages 1-2 MU (Marcotte, 2012; CSC, 2012)

	EP	EH
<b>Stage 1</b>	<ul style="list-style-type: none"> <li>• Meet 15 core and 5 of 10 menu objectives</li> <li>• Report 3 core and 3 of 41 menu CQMs</li> </ul>	<ul style="list-style-type: none"> <li>• Meet 14 core and 5 of 10 menu objectives</li> <li>• Report 15 CQMs</li> </ul>
<b>Stage 2</b>	<ul style="list-style-type: none"> <li>• Meet 17 core and 3 of 6 menu objectives</li> <li>• Report on 9 of 64 CQMs</li> </ul>	<ul style="list-style-type: none"> <li>• Meet 16 core and 3 of 6 menu objectives</li> <li>• Report 16 of 29 CQMs</li> </ul>

Objectives, e.g.,

- Computerized provider order entry (CPOE) – 60% for meds in Stage 2
- Clinical decision support rules – 5 in Stage 2
- Provide summary of care record for care transition

CQMs, e.g.,


- EP: Blood pressure measurement
- EH: Diabetic foot exam, eye exam, etc.

12



# MU is just one of several challenges

## Overlapping Timelines of ICD-10, Meaningful Use of EHRs, and Health Reform Initiatives




<http://www.aha.org/advocacy-issues/hit/mu/overw-time.shtml>

## Other HITECH funding initiatives

- HIT Regional Extension Centers (RECs)
  - \$677 million to fund 62 RECs that will provide guidance, mainly to small primary care practices and critical access hospitals, in achieving meaningful use (Maxson, 2010)
- State-based health information exchange (HIE)
  - \$547 million in grants to states to develop HIE programs (Williams, 2012)
- Beacon communities
  - \$250 million to fund 17 communities that provide exemplary demonstration of the meaningful use of EHRs (McKethan, 2011)
- Strategic health information advanced research projects (SHARP)
  - \$60 million for four collaborative research centers (Rea, 2012)

# ONC Workforce Development Program

Based on estimated need for 51,000 professionals in 12 workforce roles (Hersh, 2012)



## Subspecialty of clinical informatics

- Recognition of importance of EHRs and other IT applications focused on facilitating clinical care, clinical and translational research, quality improvement, etc. (Detmer, 2010)
  - Core curriculum (Gardner, 2009)
- Growing number of health care organizations hiring physicians into informatics roles, exemplified by (but not limited to) the Chief Medical Informatics Officer (CMIO), e.g., Tom Yackel
- Approval by ABMS in Sept., 2011 to apply to all specialties (Shortliffe, 2011)
  - Administrative board: American Board of Preventive Medicine (ABPM) with cooperation from American Board of Pathology (ABP)

16

## Qualifications

- MD degree from LCME-accredited institution
- Current valid license to practice medicine
- ABMS member board certification
- Training pathway, one of
  - Accreditation Council for Graduate Medical Education (ACGME)-accredited fellowship
    - None yet; criteria soon
  - Practice pathway (first five years)
    - Minimum of 25% time over 36 months
  - Non-accredited fellowship (first five years)

17



## Next steps

- ABPM
  - Define explicit criteria for “grandfathering” of training requirements
  - Develop certification exam, with first likely administration in late 2013 or early 2014
- ACGME
  - Define criteria for accredited fellowships
- Institutions like OHSU with existing graduate programs and research fellowships
  - Adapt programs to new requirements

18



## Where is the evidence for informatics?


- Problems in healthcare motivating information-driven solutions
  - Quality – not as good as it could be (McGlynn, 2003; Schoen, 2009; NCQA, 2010)
  - Safety – errors cause morbidity and mortality; many preventable (Kohn, 2000; Classen, 2011; van den Bos, 2011)
  - Cost – rising costs not sustainable; US spends more but gets less (Angricano, 2007)
  - Inaccessible information – missing information frequent in primary care (Smith, 2005)

19



## Growing evidence that information interventions are part of solution

- Systematic reviews (Chaudhry, 2006; Goldzweig, 2009; Buntin, 2011) have identified benefits in a variety of areas, although
  - Quality of many studies could be better
  - 18-25% of studies come from a small number of “health IT leader” institutions



## But it has been difficult to get there (Hersh, 2004)

### Health Care Information Technology Progress and Barriers

William Hersh, MD

IN THE 3 DECADES SINCE THE TERM "MEDICAL INFORMATIONICS" was first used, individuals working at the intersection of information technology (IT) and medicine have developed and evaluated computer applications aimed at improving health care. The work has been

in this issue of JAMA, Slack demonstrates the value that patient-physician e-mail can have in improving patient care, and also catalogs the incomplete but encouraging underlying evidence.<sup>11</sup> As with many applications of IT, the technology can improve the existing situation but also empower clinicians and patients to think more fundamentally about how innovation can lead to changes in the way medicine is practiced.

- Cost
- Technical challenges
- Interoperability
- Privacy and confidentiality
- Workforce

care IT.<sup>12</sup> It is no exaggeration to declare that the years ahead portend the "decade of health information technology."<sup>13</sup> Informatics is poised to have a major impact in patient-clinician communication. In the Clinical Crossroads article

See also p 2255.

©2004 American Medical Association. All rights reserved.

ment. The rest goes to those who typically do not pay for



Author Affiliation: Department of Medical Informatics & Clinical Epidemiology, Oregon Health & Science University, Portland.  
Corresponding Author: William Hersh, MD, Department of Medical Informatics & Clinical Epidemiology, Oregon Health & Science University School of Medicine, 3181 SW Sam Jackson Park Rd, BEC, Portland, OR 97201-3098 (hersh@ohsu.edu).

(Reprinted) JAMA, November 10, 2004—Vol 292, No 18 2273



## US has low rates of adoption in inpatient and outpatient settings

- Adoption in the US is low for both outpatient (Hsiao, 2011) and inpatient settings (Jha, 2010) though improving
- By most measures, US is a laggard and could learn from other countries (Schoen, 2009)
- Most other developed countries have undertaken ambitious efforts, e.g., Denmark (Protti, 2010)



## EHRs also allow and align “secondary use” (or “re-use”) of clinical data

- Additional uses of EHR data include (Safran, 2007)
  - Clinical and translational research – generating hypotheses and facilitating research
  - Healthcare quality measurement and improvement
  - Personal health records (PHRs)
  - Health information exchange (HIE)
  - Public health surveillance for emerging threats
- One important tool for re-use of clinical data is *natural language processing* (NLP), which has been challenging but is seeing growing successes (Stanfill, 2010; Nadkarni, 2011; Chapman, 2011)




23

Clinical research informatics (CRI) helps achieve integration of

- Research systems
- Research activities
- Clinical systems

(Payne, 2005; Embi, 2009)



6.6a



## NIH initiative especially critical to CRI

- Clinical & Translational Science Award (CTSA) Program (Zerhouni, 2007)
  - [www.ctsacentral.org](http://www.ctsacentral.org)
  - Goal is to accelerate translation of research into clinical care and community
- Funding 60 centers around country in pursuit of goal
  - OHSU among first 12 centers funded in 2006; renewed in 2011
- Is informatics important? (Bernstam, 2009)
  - All CTSA centers required to have a biomedical informatics component
  - Data point: the word “informatics” appeared 34 times in original Request for Applications (RFA)!

6.6a

**CTSA** Clinical & Translational<sup>®</sup>  
Science Awards

## Motivations for CRI

- Increased digitization of clinical data provides new opportunities for its secondary use (Safran, 2007)
- Growing quantity and understanding of genomic data can be combined with clinical data (Altman, 2012)
- Practice-based research networks can more closely address pertinent research questions and are enabled by informatics (Westfall, 2007; DeVoe, 2011)
- Informatics can enable the learning healthcare system”
  - learning from data collected in care (Eden, 2008), leveraging HITECH investment (Friedman, 2010)

6.6a

26



# Opportunities for CRI

- Convergence of technologies in informatics, genomics, imaging, and other areas providing great opportunity, e.g.,
  - Development of registries (Wright, 2009; Backus, 2009; Fleurant, 2011; Navaneethan, 2011) to support research (Dreyer, 2009), converging into national data networks (Maro, 2009)
  - Biorepositories, aka biolibraries, that facilitate retrieval of biological specimens and link to with clinical data (Ginsburg, 2008; Prokosch, 2010)
  - Development of tools that create “federated” query mechanisms across distributed databases (e.g., SHRINE; Weber, 2009)

6.6a

27



## SHRINE i2b2 query tool (Weber, 2009)

**i2b2 Query & Analysis Tool** Logout

**Navigate Terms** Find Terms

Demographics  
 Age  
 Gender  
 Female  
 Male  
 Unknown  
 Language  
 Marital-Status  
 Race  
 Vital-Status  
 Diagnoses

drag an item from here

**Query Tool**

Query Name: \_\_\_\_\_

Group 1	Group 2	Group 3
Dates Occurs > 0x Exclude Regional enteritis Ulcerative colitis	Dates Occurs > 0x Exclude Male	Dates Occurs > 0x Exclude Neoplasms

one or more of these AND none of these AND one or more of these

Run Query New Query 3 Groups New Group

**Previous Queries**

- NonInf-Female@16:39:03
- NonIn-Femal-Neopl@16:39:11
- Circulatory sys@16:39:18
- Circulatory sys@17:01:03
- Circula-Events @17:04:11
- Demographics@17:04:21
- 10-19 years old@17:04:39
- Albanian@02:31:25

**Query Status**

Executing query...  
 Elapsed time (seconds): 14.0  
 Query Finished...  
 Matching patients (hospital 1): 332 (+/-3)  
 Matching patients (hospital 2): 16 (+/-3)  
 Matching patients (hospital 3): 151 (+/-3)

## Conclusions

- Informatics is an important science and profession for improving health, healthcare, public health, and biomedical research with data and information
  - Most resources in clinical informatics but plenty of other opportunity in bioinformatics, public health informatics, consumer health informatics, clinical research informatics, imaging informatics, etc.
- The grand experiment of HITECH is going on in the US – results not yet in
- There are many opportunities for practitioners, researchers, and others in informatics

29



## For more information

- Bill Hersh
  - <http://www.billhersh.info>
- Informatics Professor blog
  - <http://informaticsprofessor.blogspot.com>
- OHSU Department of Medical Informatics & Clinical Epidemiology (DMICE)
  - <http://www.ohsu.edu/informatics>
  - <http://www.youtube.com/watch?v=T-74duDDvwU>
  - <http://www.informatics-scholarship.info>
  - <http://oninformatics.com>
- What is Biomedical and Health Informatics?
  - <http://www.billhersh.info/whatis>
- Office of the National Coordinator for Health IT (ONC)
  - <http://healthit.hhs.gov>
- American Medical Informatics Association (AMIA)
  - <http://www.amia.org>
- National Library of Medicine (NLM)
  - <http://www.nlm.nih.gov>

30

